

PCT

```
RAW SEQUENCE LISTING
                                                              DATE: 06/06/2006
                                                              TIME: 11:26:27
                     PATENT APPLICATION: US/10/541,353
                     Input Set : A:\124238.ST25.txt
                     Output Set: N:\CRF4\06062006\J541353.raw
      3 <110> APPLICANT: BAIN, Christine
             INCHAUSPE, Genevieve
      5
              LAVERGNE, Jean-Pierre
              PARROCHE, Peggy
              PENIN, Francois
      9 <120> TITLE OF INVENTION: POLYPEPTIDES F' OF THE HEPATITIS C VIRUS, T EPITOPES, AND
THE
              DIAGNOSTIC AND THERAPEUTIC APPLICATIONS THEREOF
     12 <130> FILE REFERENCE: 124238
     14 <140> CURRENT APPLICATION NUMBER: 10/541,353
C--> 15 <141> CURRENT FILING DATE: 2005-07-05
     17 <150> PRIOR APPLICATION NUMBER: FR03/00094
     18 <151> PRIOR FILING DATE: 2003-01-07
     20 <160> NUMBER OF SEQ ID NOS: 436
     22 <170> SOFTWARE: PatentIn version 3.3
     24 <210> SEQ ID NO: 1
     25 <211> LENGTH: 99
     26 <212> TYPE: PRT
     27 <213> ORGANISM: Artificial Sequence
     29 <220> FEATURE:
     30 <223> OTHER INFORMATION: anti-HCV immunogenic peptide
     33 <220> FEATURE:
     34 <221> NAME/KEY: MISC_FEATURE
     35 <222> LOCATION: (1)..(1)
     36 <223> OTHER INFORMATION: G, D, E, V or S
     38 <220> FEATURE:
     39 <221> NAME/KEY: MISC FEATURE
     40 <222> LOCATION: (5)..(5)
     41 <223> OTHER INFORMATION: A or V
     43 <220> FEATURE:
     44 <221> NAME/KEY: MISC FEATURE
     45 <222> LOCATION: (6)..(6)
     46 <223> OTHER INFORMATION: R, H or Q
     48 <220> FEATURE:
     49 <221> NAME/KEY: MISC FEATURE
     50 <222> LOCATION: (7)..(7)
     51 <223> OTHER INFORMATION: L, R, P, S or G
     53 <220> FEATURE:
     54 <221> NAME/KEY: MISC_FEATURE
     55 <222> LOCATION: (8)..(8)
     56 <223> OTHER INFORMATION: G or E
     58 <220> FEATURE:
     59 <221> NAME/KEY: MISC FEATURE
```

60 <222> LOCATION: (14)..(14)

Input Set : A:\124238.ST25.txt

Output Set: N:\CRF4\06062006\J541353.raw

61 <223> OTHER INFORMATION: R, L or H 63 <220> FEATURE: 64 <221> NAME/KEY: MISC\_FEATURE 65 <222> LOCATION: (16)..(16) 66 <223> OTHER INFORMATION: L or P 68 <220> FEATURE: 69 <221> NAME/KEY: MISC FEATURE 70 <222> LOCATION: (17)..(17) 71 <223> OTHER INFORMATION: V, E or A 73 <220> FEATURE: 74 <221> NAME/KEY: MISC\_FEATURE 75 <222> LOCATION: (18)..(18) 76 <223> OTHER INFORMATION: E, V, D or G 78 <220> FEATURE: 79 <221> NAME/KEY: MISC FEATURE 80 <222> LOCATION: (19)..(19) 81 <223> OTHER INFORMATION: G or D 83 <220> FEATURE: 84 <221> NAME/KEY: MISC FEATURE 85 <222> LOCATION: (20)..(20) 86 <223> OTHER INFORMATION: D or V 88 <220> FEATURE: 89 <221> NAME/KEY: MISC FEATURE 90 <222> LOCATION: (21)..(21) 91 <223> OTHER INFORMATION: N or S 93 <220> FEATURE: 94 <221> NAME/KEY: MISC FEATURE 95 <222> LOCATION: (23)..(23) 96 <223> OTHER INFORMATION: S or F 98 <220> FEATURE: 99 <221> NAME/KEY: MISC FEATURE 100 <222> LOCATION: (24)..(24) 101 <223> OTHER INFORMATION: P or Q 103 <220> FEATURE: 104 <221> NAME/KEY: MISC\_FEATURE 105 <222> LOCATION: (26)..(26) 106 <223> OTHER INFORMATION: L, H, R, F, P or C 108 <220> FEATURE: 109 <221> NAME/KEY: MISC FEATURE 110 <222> LOCATION: (27)..(27) 111 <223> OTHER INFORMATION: A, V or I 113 <220> FEATURE: 114 <221> NAME/KEY: MISC FEATURE 115 <222> LOCATION: (28)..(28) 116 <223> OTHER INFORMATION: G, S, D, N, I or V 118 <220> FEATURE: 119 <221> NAME/KEY: MISC\_FEATURE 120 <222> LOCATION: (31)..(31)

121 <223> OTHER INFORMATION: A, V or E

Input Set : A:\124238.ST25.txt

Output Set: N:\CRF4\06062006\J541353.raw

123 <220> FEATURE: 124 <221> NAME/KEY: MISC FEATURE 125 <222> LOCATION: (33)..(33) 126 <223> OTHER INFORMATION: P, S or T 128 <220> FEATURE: 129 <221> NAME/KEY: MISC FEATURE 130 <222> LOCATION: (35)..(35) 131 <223> OTHER INFORMATION: L, P, H or R 133 <220> FEATURE: 134 <221> NAME/KEY: MISC\_FEATURE 135 <222> LOCATION: (37)..(37) 136 <223 > OTHER INFORMATION: P or L 138 <220> FEATURE: 139 <221> NAME/KEY: MISC\_FEATURE 140 <222> LOCATION: (39)..(39) 141 <223> OTHER INFORMATION: T or I 143 <220> FEATURE: 144 <221> NAME/KEY: MISC\_FEATURE 145 <222> LOCATION: (40) .. (40) 146 <223> OTHER INFORMATION: L, P or H 148 <220> FEATURE: 149 <221> NAME/KEY: MISC FEATURE 150 <222> LOCATION: (42)..(42) 151 <223> OTHER INFORMATION: P or L 153 <220> FEATURE: 154 <221> NAME/KEY: MISC\_FEATURE 155 <222> LOCATION: (44)..(44) 156 <223> OTHER INFORMATION: M or T 158 <220> FEATURE: 159 <221> NAME/KEY: MISC FEATURE 160 <222> LOCATION: (45)..(45) 161 <223> OTHER INFORMATION: A, V or P 163 <220> FEATURE: 164 <221> NAME/KEY: MISC\_FEATURE 165 <222> LOCATION: (46)..(46) 166 <223> OTHER INFORMATION: M, I or T 168 <220> FEATURE: 169 <221> NAME/KEY: MISC FEATURE 170 <222> LOCATION: (48)..(48) 171 <223> OTHER INFORMATION: A or V 173 <220> FEATURE: 174 <221> NAME/KEY: MISC FEATURE 175 <222> LOCATION: (49)..(49) 176 <223> OTHER INFORMATION: W, A, L or V 178 <220> FEATURE: 179 <221> NAME/KEY: MISC\_FEATURE 180 <222> LOCATION: (50)..(50)

181 <223> OTHER INFORMATION: G or D

183 <220> FEATURE:

Input Set : A:\124238.ST25.txt

Output Set: N:\CRF4\06062006\J541353.raw

184 <221> NAME/KEY: MISC\_FEATURE 185 <222> LOCATION: (52)..(52) 186 <223> OTHER INFORMATION: Q, L or R 188 <220> FEATURE: 189 <221> NAME/KEY: MISC FEATURE 190 <222> LOCATION: (57)..(57) 191 <223> OTHER INFORMATION: H, L, P or R 193 <220> FEATURE: 194 <221> NAME/KEY: MISC FEATURE 195 <222> LOCATION: (59)..(59) 196 <223> OTHER INFORMATION: V, A, E, K or T 198 <220> FEATURE: 199 <221> NAME/KEY: MISC FEATURE 200 <222> LOCATION: (60)..(60) 201 <223> OTHER INFORMATION: A or V 203 <220> FEATURE: 204 <221> NAME/KEY: MISC FEATURE 205 <222> LOCATION: (61)..(61) 206 <223> OTHER INFORMATION: L, R, H or P 208 <220> FEATURE: 209 <221> NAME/KEY: MISC\_FEATURE 210 <222> LOCATION: (64)..(64) 211 <223> OTHER INFORMATION: V, A, I or G 213 <220> FEATURE: 214 <221> NAME/KEY: MISC FEATURE 215 <222> LOCATION: (67)..(67) 216 <223> OTHER INFORMATION: P or L 218 <220> FEATURE: 219 <221> NAME/KEY: MISC\_FEATURE 220 <222> LOCATION: (68)..(68) 221 <223> OTHER INFORMATION: R, Q, L, M, T, E or P 223 <220> FEATURE: 224 <221> NAME/KEY: MISC\_FEATURE 225 <222> LOCATION: (71)..(71) 226 <223> OTHER INFORMATION: G or D 228 <220> FEATURE: 229 <221> NAME/KEY: MISC FEATURE 230 <222> LOCATION: (72)..(72) 231 <223> OTHER INFORMATION: V, A or G 233 <220> FEATURE: 234 <221> NAME/KEY: MISC FEATURE 235 <222> LOCATION: (74)..(74) 236 <223> OTHER INFORMATION: R or H 238 <220> FEATURE: 239 <221> NAME/KEY: MISC FEATURE 240 <222> LOCATION: (75)..(75) 241 <223> OTHER INFORMATION: V or A

244 <221> NAME/KEY: MISC\_FEATURE

243 <220> FEATURE:

Input Set : A:\124238.ST25.txt

Output Set: N:\CRF4\06062006\J541353.raw

245 <222> LOCATION: (76)..(76) 246 <223> OTHER INFORMATION: I or T 248 <220> FEATURE: 249 <221> NAME/KEY: MISC FEATURE 250 <222> LOCATION: (79)..(79) 251 <223> OTHER INFORMATION: R, G or K 253 <220> FEATURE: 254 <221> NAME/KEY: MISC FEATURE 255 <222> LOCATION: (82)..(82) 256 <223> OTHER INFORMATION: I or T 258 <220> FEATURE: 259 <221> NAME/KEY: MISC FEATURE 260 <222> LOCATION: (83)..(83) 261 <223> OTHER INFORMATION: P or L 263 <220> FEATURE: 264 <221> NAME/KEY: MISC FEATURE 265 <222> LOCATION: (84)..(84) 266 <223> OTHER INFORMATION: S or L 268 <220> FEATURE: 269 <221> NAME/KEY: MISC FEATURE 270 <222> LOCATION: (85)..(85) 271 <223> OTHER INFORMATION: H or R 273 <220> FEATURE: 274 <221> NAME/KEY: MISC FEATURE 275 <222> LOCATION: (86)..(86) 276 <223> OTHER INFORMATION: A or V 278 <220> FEATURE: 279 <221> NAME/KEY: MISC\_FEATURE 280 <222> LOCATION: (87)..(87) 281 <223> OTHER INFORMATION: A, V or G 283 <220> FEATURE: 284 <221> NAME/KEY: MISC\_FEATURE 285 <222> LOCATION: (88)..(88) 286 <223> OTHER INFORMATION: S or L 288 <220> FEATURE: 289 <221> NAME/KEY: MISC\_FEATURE 290 <222> LOCATION: (90)..(90) 291 <223> OTHER INFORMATION: T or I 293 <220> FEATURE: 294 <221> NAME/KEY: MISC FEATURE 295 <222> LOCATION: (94)..(94) 296 <223> OTHER INFORMATION: T or I 298 <220> FEATURE: 299 <221> NAME/KEY: MISC\_FEATURE 300 <222> LOCATION: (95)..(95) 301 <223> OTHER INFORMATION: F, Y or S 303 <220> FEATURE:

304 <221> NAME/KEY: MISC\_FEATURE 305 <222> LOCATION: (97)..(97)

Input Set : A:\124238.ST25.txt

Output Set: N:\CRF4\06062006\J541353.raw

## Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 1,5,6,7,8,14,16,17,18,19,20,21,23,24,26,27,28,31,33,35,37 Seq#:1; Xaa Pos. 39,40,42,44,45,46,48,49,50,52,57,59,60,61,64,67,68,71,72 Seq#:1; Xaa Pos. 74,75,76,79,82,83,84,85,86,87,88,90,94,95,97,99 Seq#:151; Xaa Pos. 1,5,6,7,8,9,11,12,13,14,15,16,18,19,20,21,22,23,25,26,27 Seq#:151; Xaa Pos. 28,29,30,31,32,35,37,40,42,43,44,45,46,49,50,51,52,53,55 Seq#:151; Xaa Pos. 57,58,59,60,61,62,63,64,66,67,68,72,73,74,76,77,78,79,82

Seq#:151; Xaa Pos. 83,84,85,86,87,88,89,90,94,95,98,99

VERIFICATION SUMMARY

DATE: 06/06/2006

PATENT APPLICATION: US/10/541,353

TIME: 11:26:28

Input Set : A:\124238.ST25.txt

Output Set: N:\CRF4\06062006\J541353.raw

L:15 M:271 C: Current Filing Date differs, Replaced Current Filing Date

L:315 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0

M:341 Repeated in SeqNo=1

• • • • • •

L:6371 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:151 after pos.:0

M:341 Repeated in SeqNo=151